



Date: 06.01.2024

Corrigendum-1 to RFP 28/2023-24 GeM BID Number- GEM/2023/B/4346582 for Supply, Installation, Configuration, Integration, Implementation, and Maintenance of Anti DDoS solutions with facility management support for Bank's Data Center (DC) and Disaster Recovery Site (DR)

RFP Ref.No.28/2023-24 Dated 15.12.2023

With reference to **RFP Ref No. 28/2023-24 GeM BID Number- GEM/2023/B/4346582 Dated 15.12.2023** published on our website <https://www.bankofmaharashtra.in> and GeM Portal <https://gem.gov.in> and subsequent to **Pre-Bid meeting held on 29.12.2023 at 15:00** hours with bidders, following amendments to the RFP document are made with immediate effect. Responses to pre-bid meeting are uploaded on Bank's website separately. Bidders are requested to refer both Reply to Pre-Bid queries along with this corrigendum-

SN	Page No	RFP Term/ Clause No	Clause as per RFP	Clause revised as
1.	104	Annexure D: Eligibility Evaluation Compliance	The bidder/ OEM should have a valid ISO 9001/ ISO 27001 certificate for the solution proposed.	"The bidder/ OEM should have a valid ISO 9001/ ISO 27001 certificate." ISO Certification In case, the certification is under process, bidder has to submit an undertaking for submission of the relevant certification within 6 month from the date of bid submission.
2.	117	Annexure H: Technical Specification	Appliance should have sufficient port to cater current and future requirements. However proposed solution will have minimum ports as: 8x10G ports (SR/LR Fiber) or (SFP + Fiber port) and 2x25G/2x40G (SR/LR Fiber)	Appliance should have sufficient port to cater current and future requirements. However proposed solution will have minimum ports as: 4x1GPorts with SFP Expendable to 10G, 4x10G ports (SR/LR Fiber) or (SFP + Fiber port) and 2X minimum 25G or Higher.
3.	118	Annexure H: Technical Specification	The OEM should not be currently blacklisted by any Central/State Govt. dept. /Public Sector/NPCI/IBA/RBI/SEBI or any other regulatory bodies Unit. (Certificate from the Chief Executive / Authorized Officer of Company). OEM should also provide minimum 3 references of Public sector BFSI where technology is deployed in production in last 6 years.	Clause deleted , as it is already part of Clause No: 4 & 11 in Annexure-D (Eligibility Criteria Compliance)

Note- Pre bid Queries Response Sheet is published on Bank's Website on 06.01.2024. Bidders are requested to refer reply to "Pre Bid Queries" also and correlate this corrigendum with same before submitting final bid on GeM Portal.



GeM BID Number- GEM/2023/B/4346582 Dated 15.12.2023

With reference to **GeM BID Number- GEM/2023/B/4346582 Dated 15.12.2023** published on our website <https://www.bankofmaharashtra.in> and GeM Portal <https://gem.gov.in>, Based on the request from bidders, due date for bid submission is extended as with immediate effect:-

RFP Calendar stands revised as under:

Last Date and Time for receipts of tender offers	20.01.2024 up to 15:00 hours
Time and Date of Opening of technical bids	20.01.2024 at 15:30 hours

Sd/-
Deputy General Manager
Information Technology