



बैंक ऑफ महाराष्ट्र
Bank of Maharashtra

भारत सरकार का उद्यम

एक परिवार एक बैंक

CORRIGENDUM - 5

Please refer to RFP 122021-22 published on **25.01.2022** inviting proposal from eligible bidders for **Request for Proposal for Supply, Implementation & Support for SD-WAN (Software Defined WAN) Solution with Routers and Switches**. The corrigendum & reply to pre-bid queries are available on Bank's website <https://www.bankofmaharashtra.in> in the Tenders Section.

**Deputy General Manager
Information Technology Department**



बैंक ऑफ महाराष्ट्र
Bank of Maharashtra
भारत सरकार का उद्यम
एक परिवार एक बैंक

Date: 23.03.2022

CORRIGENDUM - 5

Please refer to RFP 122021-22 published on **25.01.2022** inviting bids for **Request for Proposal for Supply, Implementation & Support for SD-WAN (Software Defined WAN) Solution with Routers and Switches.**

Following correction be read in the tender document.

1. Change in timelines for Technical Bid Submission enclosed in **Annexure – I.**
2. Amendment in clauses in RFP. The amendments are enclosed as **Annexure-II.**

(Shirish Salway)
Deputy General Manager
Information Technology Department



बैंक ऑफ महाराष्ट्र
Bank of Maharashtra
भारत सरकार का उद्यम
एक परिवार एक बैंक

ANNEXURE-I RFP122021-22 (CORRIGEDUM - 5)

1. Page No. 09: Invitation to the Tender:

Important Information regarding Bid Submission

RFP Term/Clause no. Invitation of the Tender	As per previous Timelines	Revised Timelines
Queries to be mailed by	09.02.2022	Completed
Pre Bid Meeting	14.02.2022 15:00 Hrs	Completed
Date of closure of tender document	25.03.2022 14:00 Hrs	29.03.2022 14:00 Hrs
Last Date and Time for receipt of tender offers	25.03.2022 14:00 Hrs	29.03.2022 14:00 Hrs
Date of opening of technical bids	25.03.2022 16:00 Hrs	29.03.2022 16:00 Hrs

Annexure- II Change in RFP Clause

Sr. No.	Page #	Point/ Section	RFP Clause	Clause Revised As
1	82	D) Specification of SD-WAN Router/Device (Category-1 & Category-2): Point 53	Switch should be able to operate in a temperature range of 0 to 50 degree	Switch should be able to operate in a temperature range of 0 to 45 degree
2	82	D) Specification of SD-WAN Router/Device (Category-1 & Category-2): Point 49	The switch should support sflow or netflow and Layer 2 trace route to ease troubleshooting by identifying the physical path that a packet takes from source to destination.	The switch should support sflow or netflow and Layer 2/Layer 3 trace route to ease troubleshooting by identifying the physical path that a packet takes from source to destination.

**Deputy General Manager
Information Technology Department**