

बेंक ऑफ महाराष्ट्र Bank of Maharashtra One Family One Bank



JAIPUR ZONE, JAIPUR

F-104, Riddhi Siddhi Bhawan, Ahinsa circle, C - Scheme, Jaipur-302001 (Raj.) Phone— 0141 – 2379903 / 2379905, Fax – 2379907, e-mail - $sec_jai@mahabank.co.in$

Request for Proposal (RFP)

For

Empanelment of Agencies for Supply and Installation of Security Equipments

i.e. CCTV, Fire Alarm, Burglar Alarm, Auto Dialer, Cash Bag with Alarm System, Fire Extinguishers, UV Machines, Bio-Metric Access Control System etc.

Request for Proposal (RFP)

Empanelment of Agencies for Supply and Installation of Security Equipments

Bank of Maharashtra, **Zonal Office**, **Jaipur** invites **sealed offers in two-bid system** from agencies dealing in supply and installation of security equipments (CCTV, Fire Alarm, Burglar Alarm, Auto Dialer, Cash Bag with Alarm System, Fire Extinguishers, UV Machines, Bio- Metric Access Control System etc.) having their own Offices in state of Rajasthan (preferably in Jaipur City), and providing services to other Nationalised / PSU Banks in Rajasthan. Empanelment of vendors will be for a period of 3 years with a provision of renewal every year based on performance and discipline and it will be the sole discretion of the bank to renew the contract.

RFP Forms can be obtained from **Senior Manager** (**Security**) at the above mentioned address (Tel: 0141-2379903/05) on payment of Rs.1000/- (Non-Refundable) by way of Demand Draft / Pay Order favoring Bank of Maharashtra payable at Jaipur. However, for RFP downloaded from website, the Pay Order / Demand Draft will be submitted along with the Techno-commercial Offer.

Last date for submission of RFP : 22/11/2014 time 02.00 p.m.

The dates for Opening of Technical Offer and Price Bid will be informed separately.

Offers from firms not having their own offices in states Jaipur / Rajasthan, as the case may be, will not be considered. All conditions and parameters will be evaluated with reference to the firms submitting the tenders. The Bank reserves the right to reject any / all applications without assigning any reason whatsoever and also to confirm authenticity of the facts submitted by the bidders.

SCOPE OF THE WORK

- 1. Supply and Installation of all or some of the above mentioned equipments at different branches in Rajasthan under Zonal Office, Jaipur.
- 2. Maintaining the installed products/equipments and providing 'After Sale Services' during the warranty period.
- 3. Maintaining the products/ Equipments after warranty period by way of AMC.

1. TERMS & CONDITIONS

- 1.1 Supply and installation to be completed in branches within 10 days after receiving work order.
- 1.2 Any delay / Variation from specified quality material will <u>attract penalty of 5%</u> of the cost of equipment. The Bank reserves the right to recover this amount by any mode, which includes adjusting from any payment to be made by the Bank.

2. ELIGIBILITY CRITERIA FOR SHORT-LISTING / EMPANELMENT

2.1 Minimum 3 years of experience in commissioning of above mentioned equipments at nationalised banks/Govt. sectors by agencies having authorized dealership / OEM of above mentioned equipments. More weightage be given to agencies having maximum Nationalised Banks. The agency should enclose manufacturer's authorization letter/ dealership certificate from the OEM's. More weightage will be given to OEM's as compared to authorised agencies.

- 2.2 Minimum turnover Rs. 30,00,000/- (Thirty Lakhs) per year in last 03 years (audited balance sheet to be submitted along with tender).
- 2.3 Minimum Bank Guarantee of 1% of contract value / AMC and 10% (performance guarantee) of AMC value up to Rs. One Lakh and additional 5% for every subsequent AMC slab of Two Lakhs.
- 2.4 Proof of Registration with Sales Tax, Service Tax, ESI, EPF.
- 2.5 Vendors registered with SSI and having ISO 9001 may be given preference.
- 2.6 Availability of after sales service network within Jaipur / Rajasthan. Preference will be given to firm having local office.
- 2.7 Availability of sound technical support staff for attending the branch complaints within 24 hours.
- 2.8 In case the agency is having authorised dealership, kindly submit the proof of same.
- 2.9 Running successful contract of AMC at minimum two Nationalised Banks / Govt. Sector is minimum criteria.
- 2.10 The technician of the agency should have police verification and clearance certificate.
- 2.11 Agency should not have been blacklisted by any PSU Bank/ Govt. organizations.
- 2.12 Agency should have satisfactorily completed works, as stated below during last three years:
 - (i) Three similar works each costing not less than 10 Lakhs.
 - (ii) Two similar works costing not less than 15 Lakhs.
 - (iii) One similar work costing not less than 20 Lakhs.
- 2.13 The installation of Systems and AMC will be audited by third party technical consultant and in case the parameters as specified are not followed strictly, the amount paid by the bank towards installation of system in question plus Rs. 25,000/- as penalty will be reimbursed from the vendor followed by black listing of concerned agency. In such case, the expenses incurred by the vendor will be borne by the vendor itself.
- 2.14 Agency to submit the Profile as per Annexure –II.

3. BID SYSTEM

The agency is required to submit Technical Specifications in the form of Techno-commercial Offer in sealed envelope duly super scribed "Techno-commercial Offer for Security Equipment" and should be submitted latest by 02.00 p.m. on 22/11/2014. The offer should be dropped in the Tender Box kept at the Security department, Zonal Office - Jaipur at the above mentioned address. No financial details to be submitted with the Tender. Financial details will be called for separately from technically qualified vendors.

4. EARNEST MONEY DEPOSIT

Earnest Money Deposit of Rs.10,000/- (Rupees Ten thousand only), in the form of a demand draft/pay order issued by a scheduled commercial bank favoring Bank of Maharashtra, payable at Jaipur must be submitted along with the Techno-commercial Offer. Offers not accompanied with Earnest Money Deposit of Rs.10,000/- will not be accepted. This amount will be forfeited if, having been selected by the Bank for the job, the Offerer refuses to accept / fails to carry out his obligations mentioned therein. Bank Guarantee in lieu of Earnest Money Deposit will not be accepted. No interest will be payable on the Earnest Money Deposit. The Earnest Money Deposit will be refunded to the unsuccessful Offerers. The Earnest money paid by the successful Offerer will be released after six months of satisfactory performance.

5. TECHNO-COMMERCIAL OFFER (TO)

The Techno-commercial Offer (TO) should be complete in all respects and contain all information asked for in this document. **It should not contain any price information.** (If price information is given in TCO, it will be rejected)

The Techno-commercial Offer should comprise of the following:

- 5.1 Covering letter on the prescribed format (**Annexure-I**).
- 5.2 Pay Order for Rs.1000, i.e., Cost of RFP Forms, if downloaded from Bank's website.
- 5.3 Earnest Money Deposit of Rs.10,000/- in the form of a demand draft / pay order issued by a scheduled commercial bank favoring Bank of Maharashtra, payable at Jaipur.
- 5.4 Company profile as per **Annexure II**.
- 5.5 Documentation (Product Brochures, leaflets, manuals etc., if any) /soft copy.
- 5.6 Details of reference sites as per **Annexure-III**.
- 5.7 The Bank will shortlist suppliers, who satisfy commercial and other requirements laid down in the document. The Price Bids of only the short listed suppliers will be called for. Short listed suppliers will be notified by e-mail/post and authorized representatives may be present at the time of opening of the Technical Offers as per date and time given above. No separate information will be given.
- **6. NO ERASURES OR ALTERATIONS -** Techno-commercial details must be completely filled up. Corrections or alterations, if any should be authenticated.

7. EVALUATION PROCESS

Offers (Tenders) will be evaluated in the following stages:

7.1 Stage I - Incomplete Offers, i.e., offers not accompanied by the mandatory documents as mentioned above, cost of RFP Forms and EMD shall be rejected.

- **7.2 Stage II -** Offers will be evaluated against the stipulated minimum eligibility criteria based purely on valid proof documents submitted by the vendors (**Annexure-IV**). Offers not complying with the eligibility criteria will be rejected.
- **7.3 Stage III -** Short-listing of supplier(s) based on satisfactory feedback from reference sites.
- **7.4 Stage IV -** Calling for the Price bids from the short-listed firm(s) ---as per requirement of systems to be installed.

8. NO COMMITMENT TO ACCEPT ANY TENDER

The Bank shall be under no obligation to accept the offer received in response to this notice and shall be entitled to reject any or all offers without assigning any reason whatsoever.

9. OPENING OF OFFERS

Techno-commercial Offers will be opened in the presence of the Offerers or their representatives (authority letter must be carried by their representatives). The Offerers / their representatives may be present at the time of opening of the Techno-commercial Offers. The date & time of Opening of Techno-commercial offers will be informed separately. The Techno-commercial Offers will be opened at the time and date stipulated above irrespective of the number of Offerers or their representatives present.

10. CLARIFICATIONS

For any clarifications, contact our Office on the below mentioned address or telephone.

Senior Manager – Security, Bank of Maharashtra, Zonal Office – Jaipur, F-104/105, Riddhi Siddhi Apartment, Ahinsa Circle, C-Scheme, Jaipur – 302001 Tel No.0141-2379903, 2379905

(Letter to the Bank on the Company's letterhead)

To
Assistant General Manager
Bank of Maharashtra - Zonal Office,
F-104/105, Riddhi Siddhi Apartment,
Ahinsa Circle, C-Scheme,
Jaipur – 302001
-

Dear Sir,

Sub:	Your	RFP	For	Empa	anelment	for	suppl	lv &	Inst	allation	of	Securit	v Eo	auiı	oment	S.

With reference to your tender notice published in News papers on_____and the RFP posted on your website with effect from _____, having examined and understood the instructions, terms and conditions forming part of the RFP, we hereby enclose our offer for above mentioned Services as detailed in your above referred RFP.

We confirm that we have not been disqualified by any PSUs.

We further confirm that the offer is in conformity with the terms and conditions as mentioned in the RFP.

We hereby confirm that we have read the terms and conditions and specifications given at the **Annexure-V** of the RFP and agree to them fully.

We understand that the Bank is not bound to accept the offer either in part or in full and that the Bank has the right to reject the offer in full or in part without assigning any reason whatsoever.

We enclose herewith a Demand Draft/Pay Order for Rs.10,000/- (Rupees Ten thousand only) favoring Bank of Maharashtra and payable at Jaipur, towards Earnest Money Deposit, details of the same are as under:

- 1. Demand Draft/Pay Order No.:
- 2. Date of Demand Draft/Pay Order:
- 3. Name of Issuing Bank & Branch:

Yours faithfully,

Authorized Signatories (Name & Designation, seal of the firm)

PROFILE OF THE AGENCY

1.	Name of the Organization and Address:
2.	Year of Establishment (Submit proof):
3.	Status of the firm (Submit proof): (Whether Pvt. Ltd. company / Pubic Ltd. company / Partnership Firm)
4.	Name of the Chairman/Managing Director/CEO/Country Head (as the case may be):
5.	Whether OEM or Authorised Dealer (Submit Proof).
6.	a) Name and address of Bankers (Submit proof):
	i) ii)
	b) Turnover of the Company/Firm in 2011-12, 2012-13 and 2013-14: (Please attach a copy of audited Balance Sheet and Profit & Loss Account for the Years 2011-12, 2012-13 and 2013-14 as proof documents)
	2011-12 : 2012-13 : 2013-14 :
7.	Whether registered for Service Tax and Sales Tax purposes. If so, mention number and date.(Submit proof) :
8.	Details and Proof of Registration of ESI & EPF.
9. copies	Whether an assessee of Income Tax. If so, mention Permanent Account Number. Furnish of Income tax clearance certificate.
10.	Whether registered with SSI and having ISO certification – if Yes submit proof
11.	Mention the addresses, phone numbers and fax numbers of the Offices below:
	Head Office address:-
	Local office address:-

12.	Details of successfully running coproof)	ntract of AMC	at Nationalised	d Banks / Go	ovt. Sectors (subm	it
13.	Details of satisfactorily completed	works, as stat	ed below durin	g last three y	/ears:	
	Three similar works each costing of Two similar works costing not less One similar work costing not less	s than 15 Lakh	ıs.			
14.	Furnish the names of renowned equipments in the last three years:	•	, where you ar	re supplying	g & installing suc	ch
	ne of Organisation with Address ele Nos	Since when?	Items installed	Average Payment		
	se attach copies of their orders or parate sheet may be attached if the Name of the Nationalised Bank	e above space	•	Items installed	Avg. annual payment	
	se attach copies of their orders or parate sheet may be attached if the		•	<u> </u>		
inform on the	e have read the instructions appendention is detected at a later date, any basis of the information given by a lely responsible for the consequence	y contract mad me / us can be	le between ours	selves and B	ank of Maharasht	ra
	e agree that the decision of Bank of lal and binding to me / us.	Maharashtra, 2	Zonal Office, Ja	ipur, in sele	ction of agency w	ill
All th	e information furnished by me/us	above here is	correct to the	best of my/	our knowledge ar	ıd
	agree that I / We have no objection we and/or in the accompanying shee	-	re made about t	he work liste	ed by me / us here	

 $I\,/\,We\ further\ certify\ that\ I\,/\,We\ have\ not\ been\ black\ listed\ from\ any\ Bank\,/\,Govt.\ Organisation.$

SIGNATURE:

Name & Designation & seal of the Company

Place:

Date:

Reference Site Details

(1) Name of the company / PSU Bank / Govt Body	
Address of the company /PSU Bank	
Contact person	Name: Designation: Landline No.: Cell No.: E-mail id: Fax No
Details of Works Executed in last 3 years (Ref. No., date of order and quantity)	
(2) Name of the company / PSU	
Address of the company / PSU	
Name, designation of contact person with telephone No. and e-mail id	Name: Designation: Landline No.: Cell No.: E-mail id:
Details of Works Executed in last 3 years (Ref. No., date of order and quantity)	
(3) Name of the company	
Address of the company	
Name, designation of contact person with telephone No. and e-mail id	Name: Designation: Landline No.: Cell No.: E-mail id: Fax No.
Details of Works Executed in last 3 years (Ref. No., date of order and quantity)	

AUTHORISED SIGNATORY

Name of the PSA:

Technical Evaluation

Sl.	Information to be provided	To be filled	For	Evaluation	Remarks
No.		by the Bidder	office	marks	
1.	Annual Turnover (in Lakhs)		use		
1.	during last three financial				
	years				
2.	Services presently being				Maximum 5 PSU
	provided in Number of				banks will be
	Nationalized banks and Govt.				considered (Copy
	Sectors.				of deployment
					order, location &
					address to be
2	G : 111 A DOLL				furnished)
3.	Services provided to PSU Banks / Govt. sectors in last				
	05 years				
4.	Have an office in				
'	Jaipur/Rajasthan, with				
	telephone & fax and manned				
	during the office hours				
5.	Availability of Technical				
	Team				
6.	ISO 9001 Certification of the				
	firm(Yes/No).				
7.	OEM / Authorised				
	dealership				
8.	Running successful AMC contracts with banks / Govt.				
	sectors with banks / Govt.				
9.	Quantum of completed work				
7.	in last three years				
	TOTAL				

DATE:	SIGNATURE:
	DESIGNATION:

NAME OF THE FIRM/AGENCY WITH OFFICE STAMP

Note: Photocopies of all necessary documents (pertaining to technical evaluation/ Eligibility) duly self attested must be enclosed and flagged for verification by the bank on the information provided.

Terms and Conditions

- 1. Minimum 3 years of experience in commissioning of above mentioned equipments at nationalised banks/Govt. sectors by agencies having authorized dealership / OEM of above mentioned equipments. More weightage be given to agencies having maximum Nationalised Banks. The agency should enclose manufacturer's authorization letter/ dealership certificate from the OEM's. More weightage will be given to OEM's as compared to authorised agencies.
- 2. Minimum turnover Rs. 30,00,000/- (Thirty Lakhs) per year in last 03 years (audited balance sheet to be submitted along with tender).
- 3. Minimum Bank Guarantee of 1% of contract value / AMC and 10% (performance guarantee) of AMC value up to Rs. One Lakh and additional 5% for every subsequent AMC slab of Two Lakhs.
- 4. Proof of Registration with Sales Tax, Service Tax, ESI, EPF.
- 5. Vendors registered with SSI and having ISO 9001 may be given preference.
- 6. Availability of after sales service network within Jaipur / Rajasthan. Preference will be given to firm having local office.
- 7. Availability of sound technical support staff for attending the branch complaints within 24 hours.
- 8. In case the agency is having authorised dealership, kindly submit the proof of same.
- 9. Running successful contract of AMC at minimum two Nationalised Banks / Govt. Sector is minimum criteria.
- 10. The technician of the agency should have police verification and clearance certificate.
- 11. Agency should not have been blacklisted by any PSU Bank/ Govt. organizations.
- 12. Agency should have satisfactorily completed works, as stated below during last three years:
 - (i) Three similar works each costing not less than 10 Lakhs.
 - (ii) Two similar works costing not less than 15 Lakhs.
 - (iii) One similar work costing not less than 20 Lakhs.
- 13. The installation of Systems and AMC will be audited by third party technical consultant and in case the parameters as specified are not followed strictly, the amount paid by the bank towards installation of system in question plus Rs. 25,000/- as penalty will be reimbursed from the vendor followed by black listing of concerned agency. In such case, the expenses incurred by the vendor will be borne by the vendor itself.
- **14. Specification of systems to be provided:** The firm should be able to supply and install the systems as per below mentioned specifications or upgraded specifications as per bank's requirement.

SPECIFICATION OF CCTV SYSTEM

S.No	ECIFICATION OF Items	Tech Parameter	Specification
1.	1/3" High	Picture Format	PAL/NTSC
1.	Resolution SONY	Imaging Device	1/3" SONY CCD or equivalent
	CCD Camera with	Horizontal Resolution	700 TV Lines in Colour or better
	veri-focal Lens	Electronic Shutter	PAL:1/50 ~ 1/100000s
	(Outdoor)	Effective Elements	752X582 Approx (4,40,000 pixels)
	(0444001)	Minimum Illumination	Colour: 0.1 lux (F1.2, 50 IRE, AGC ON); B/W: 0 lux IR ON
		Signal to Noise Ratio	48 db or better
		Lens	4~ 12 mm Auto Iris
		Iris Control	Auto
		Back Light Compensation	Yes (on/off)
		Day & Night (ICR)	Auto/ colour/B&W/ External Control
		IR Will O'R	Inbuilt (LED or array LED)of range min 50 meter
		Video O/P	1.0 Vp-p/75 ohm
		Special Functions	OSD, Privacy Masking, Motion Detection
		Housing	Outdoor IP 66 Weather proof housing
		Operating Temp	-10° C to 50 ° C
		Certification	CE, FCC, UL, RoHS
2	Indoor IR Dome	Picture Format	PAL/NTSC
•	Camera with fixed	Imaging Device	1/3" SONY CCD or equivalent
	Lens	Horizontal Resolution	700 TV Lines in Colour or better
		Electronic Shutter	PAL:1/50 ~ 1/100000s
		Effective Elements	752X582 Approx (4,40,000 pixels)
		Minimum Illumination	Colour : 0.1 lux (F1.2, 50 IRE, AGC ON); B/W: 0 lux IR ON
		Signal to Noise Ratio	48 db or better
		Lens	3.6 mm
		Iris Control	Auto
		Back Light Compensation	Yes (on/off)
		High Light Compensation	Yes
		Day & Night (ICR)	Auto/ colour/B&W/ External Control
		IR	Inbuilt (LED or array LED)of range min 20 meter
		Video O/P	1.0 Vp-p/75 ohm
		Special Functions	OSD, Privacy Masking, Motion Detection
		Housing	Indoor housing
		Operating Temp	-10° C to 50 ° C
		Certification	CE, FCC, UL, RoHS
3	CCTV Fixed C	Image Sensor	1/3" Sony Super HAD CCD II
	Mount Camera	Signal	PAL/NTSC
		Effective Pixels	PAL: 752 (H) X 582 (V), NTSC: 768 (H) X 494 (V)
		Min. Illumination	Colour: 0.1 lux (F1.2, 50 IRE, AGC ON); B/W: 0.01 lux
		Shutter Time	1/50 (1/60) s to 1/100000s
		Lens Mount	C / CS Mount
		Auto Iris	DC/ Video drive
		Day & Night	Electronic colour / B&W Switch
		Horizontal Resolution	Colour 700 TVL or above
		Synchronization	Internal synchronization ("-A": Internal / Power
			synchronization)
		Video Output	1 Vp-p composite output (75 O/BNC)
		S/N Ratio	More than 52 db
		Operating Temp/Humidity	-10° C to 60 ° C, humidity 90% or less (no condensing)
		Power Supply	DC 12 V ±10% ("-A" Series Support) AC 240 V ±10%
		Power Consumption	2 W Max ("-A" 3 W Max)
		Dimension	69X56X113.3
		Weight	400 g
4	8 Channel	No. of Video Channels	08
	standalone DVR	Operating System	Embedded Linux
		1- Farming System	

		User Interface	GUI, Mouse support
		Video Compression	Embedded with H 264 Video compression
		Frame rate	240 fps NTSC, 200 fps PAL
		Video input	8 Channel (30 fps per Channel NTSC, 25 fps per Channel PAL)
		Recording resolution	D1 on all Ch. (25 fps PAL / 30 fps NTSC)
			1 composite, 1 VGA, 1 HDMI, 1 SPOT
		Video output	* ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
		Video display (Division)	1,4,6,8
		Audio	Supported
		Recording Mode	Continuous, Manual, Scheduled, Motion Detection, Alarm
		Data Storage Capacity	Min. 8TB
		Interface	Min 4 SATA for 4 HDDs + 1 DVD Writer/ 4 HDDs
		Capacity	Min. 2 TB each HDD
		e-SATA Interface	01
		Recording Duration	180 days minimum
		Back-up	HDD, DVD ± RW, USB Flash Memory Stick, USB Pen drive
		Remote viewing	TCP / IP enabled or client software
		PTZ Camera Support	Yes
		DVR Operation	Live, record, playback, backup, program & remote viewing at
		•	the same time
		Motion Detection	Detecting Zones, multi levels of sensitivity
		System Functions	Date & Time stamping (watermark)
		System Reliability	Shut down detection, auto recovery after power is re-connected
		Alarm	Supported Supported
		Communication Port	RS 232, RS 485, Network port RJ 45 (Ethernet)
		Other Function	Panic recording, firmware upgrade, advanced search
		ATM / POS	Supported Supported
			Min 02 USB Ports- version 2.0 or higher backward compatible
		Connectors	with version 1
		I am and a Common at	
		Language Support	English compulsory
		Working Conditions	24 X 7
		Product Warranty	Min. 01 year
	16.01	Certification	UL/CE/FCC
5	16 Channel	No. of Video Channels	16
	standalone	Operating System	Embedded Linux
	DVR	User Interface	GUI, Mouse support
		Video Compression	Embedded with H 264 Video compression
		Frame rate	480 fps NTSC, 400 fps PAL
		Video input	16 Channel (30 fps per Channel NTSC, 25 fps per Channel PAL)
		Recording resolution	D1 on all Ch. (25 fps PAL / 30 fps NTSC)
		Video output	1 composite, 1 VGA, 1 HDMI, 1 SPOT
		Video display (Division)	1,4,6,8,9,10,13,16
		Audio	Supported
		Recording Mode	Continuous, Manual, Scheduled, Motion Detection, Alarm
		Data Storage Capacity	Min. 16TB
		Interface	Min 8 SATA for 8 HDDs + 1 DVD Writer/ 8 HDDs
		Capacity	Min. 4 TB each HDD
		e-SATA Interface	01
		Recording Duration	180 days minimum
		Back-up	HDD, DVD ± RW, USB Flash Memory Stick, USB Pen drive or
		_F	Network Backup
		Remote viewing	TCP / IP enabled or client software
		PTZ Camera Support	Yes
		DVR Operation	Live, record, playback, backup, program & remote viewing at the
		D VIC Operation	same time
		Motion Detection	Detecting Zones, multi levels of sensitivity
		System Functions	Date & Time stamping (watermark)
		·	Shut down detection, auto recovery after power is re-connected
		System Reliability	• • •
		Alarm	Supported
		Communication Port	RS 232, RS 485, Network port RJ 45 (Ethernet)

		Othe	er Function	Day light Sa	aving Time, Panic recording, firmware upgrade,		
				advanced se	• • • • • • • • • • • • • • • • • • • •		
		ATN	M / POS	Supported			
			nectors		3 Ports- version 2.0 or higher		
			guage Support	English com	<u> </u>		
			king Conditions	24 X 7			
			luct Warranty	Min. 01 yea	r		
			ification	UL/CE/FCC			
6	Other	A	HDD	•	2 TB		
	Peripherals		Seagate / Western I	Digital	32-64 MB Cache, 3 MB to 6 MB per second Data		
	•		(Surveillance HDD		Transfer Rate		
		В	Monitor (Samsung	g/LG)	LCD with TCO 03 or equivalent		
			Screen size	ý ,	19" & 42 "		
			Make		Samsung / LG or equivalent		
			Video		PAL / NTSC colour composite		
			Resolution		1280X1024 / 136X720 pixels @ 60-85 Hz refresh		
					rate, True colour (32 bit)		
			Power Input		90 – 260 V AC or 12 V DC		
			Viewing Angle		140 degree H, 130 degree V		
		C	Cable – Video		RG 6 POLY CAB / FINOLEX		
			Category				
			Туре		Un-armoured		
			Capacitance		53 +/- Ohms		
			DC Resistance inner conductor		8.5 Ohms per KM		
			Di-electric strength		10 KVA AC Mains		
			Di-electric material		PE, 7.1 mm Dia		
			Insulation Resistance		50 M Ohms/KM		
			Nominal Impedance		75 Ohms		
			Minimum bending radius		55 mm		
			Acceptable Quality	7	Finolex / Polycab		
		D	Cable – Power		Un-armoured		
			Category		2 core power cable, FRLS		
			Туре		2 Core X 0.75 s mm		
			Acceptable Quality		ISI (IS-694, 1990) Finolex / Polycab		
			Insulation		PVC		
		Е	PVC Conduits for o	cabling /casin	g capping		
			Specification		Depends on Number of Wires		
			Acceptable Quality	7	ISI – Precision or Equivalent		
			Grade		Medium		
		F	6 U Rack – (Wall N	Mount)	Power Strip – 6 Socket power supply		
			Consumption		≤ 70 W (without HDD or DVD ROM		
			Working Temp		-10 deg C~55 deg C		
		G	Working Humidity		10% - 90%		
			Chassis		19" Standard 2 U Chassis		
			Dimension		450 (D) X 450 (W) X 95 mm (H)		
			Weight (without HDD)		≤800 gm		

SPECIFICATION OF ALARM SYSTEMS WITH AUTO DIALER

BURGLAR ALARM SYSTEMS

Item
Securico- Falcon President Auto Alarm System 12 Zone, Microprocessor Based, Programmable
& Wireless. Or equivalent
Wireless Panic Buttons
Receiver assembly for wireless panic Buttons
Magnetic Door Sensor
P.I.R. Sensor
High Intensity Hooter
Low Intensity Hooter
Battery 12 V 7AH

FIRE ALARM SYSTEM

Item
Microprocessor Based EFA Control Panel (In Conformance to IS-2189-1988) – 2 to 4 Zone
(Agni or equivalent)
Ionization / Optical type smoke detector with imported mounting base.
High Intensity Hooter
Manual Call Point (Break Glass Switch)
Battery 12 V 7AH

WIRING

Item	
2 Core Copper wire with PVC Pipe	As mentioned in CCTV Systems
2x1.5 sq. mm Armoured Cable (ISI Mark)	

AUTO DIALER

Item	L
Auto Dialler (Securico SD 2000) or equivalent	Integrated with both Alarm Systems

FIRE EXTINGUISHERS (Omex or Equivalent)

Item
ABC (Stored Pressure) Powder Type Modular
Automatic fire Extinguishers Capacity 5 Kg
ABC (Stored Pressure) Powder Type Fire
extinguisher Capacity 5 Kg
CO2 Gas Type Fire extinguisher Capacity 2 Kg
CO2 Gas Type Fire extinguisher Capacity 4.5 Kg

Cash Bag with Alarm System & UV Machine

Item	
Cash Bag Alarm Device, with bag / suitcase with battery, Battery Charger and Remote control	
Button, (Electric shock on handle & side metallic Bar).	
UV Ray Machine with twin UV lamp, watermark test lamp, magnifying glass etc.	

AUTHORISED SIGNATORY